



Country indicators

Dietary Diversity of Women 15-49years	Early initiation of breastfeeding Rate	Exclusive breastfeeding rate for children (0-5 months)	Stunting rate - % stunted	Wasting rate	Underweight rate	Minimum Acceptable diet for children 6-23 months	Vitamin A Supplementation Among Children 6-59months
50.0%	71.2%	62.0%	20.4%	11.3%	13.2%	45.3%	76.1%

Scorecard

Region	Micronutrient Deficiency Control					IYCF		NSRVP		Health System
	Percentage of pregnant women with HB checked at registration	Percentage of pregnant women anaemic at registration	Percentage of pregnant women anaemic at 36 weeks	% IFA6 at ANC	Routine Vitamin A Coverage (12-59months)	Timely initiation of complementary feeding	Percentage of infants 0-3months exclusively breastfeeding	CMAM Cure rate	CMAM Defaulter rate (OPC)	Average DHIMS2 data completeness (Nutrition)
Ghana	97.4	35.6	31.4	96	19.0	0	89	69	17	99
Ahafo	99.8	22.7	22.0	↑133	28.1	0	91	↑75		100
Ashanti	97.3	32.6	30.8	↑92	16.9	0	81	75	20	97
Bono	99.6	33.7	28.2	↑80	24.7	0	89	↑94		99
Bono East	98.9	27.7	28.0	89	↓22.2	0	88	↑56	↓28	98
Central	99.1	35.8	26.7	↓210	↓15.4	0	92	59	6	98
Eastern	98.9	30.5	29.1	72	18.1	0	95	↓64	8	100
Greater Accra	99.5	36.1	23.7	104	20.8	0	88	↑41	↑51	99
North East	89.9	45.7	44.9	↓42	13.4	0	96	↓37	↓2	↑99
Northern	97.3	43.8	40.6	80	17.4	0	97	86	2	96
Oti	89.2	35.9	36.8	56	↓26.6	↓0	97	↑60	5	100
Savannah	↑88.8	41.1	50.3	54	15.8	↑0	89	↑92	↑10	99
Upper East	98.4	43.1	46.5	↑76	↓12.8	0	82	↑67	↓3	98
Upper West	93.5	35.3	↓40.3	↑73	↓17.0	↑0	95	↑87	↑16	99
Volta	98.0	41.0	37.5	↑78	↓23.3	0	97	↓68	4	100
Western	98.5	32.9	27.3	83	21.3	0	87	↓27	↑35	99
Western North	94.9	31.6	30.4	↑73	19.9	0	83	↑100		100
Source:	DHIMS	DHIMS	DHIMS	DHIMS	DHIMS	DHIMS	DHIMS2	DHIMS2	DHIMS2	DHIMS2