



Country indicator

Scorecard

Region	Quality														Demand			HSS
	Proportion of Teenager pregnancy	Maternal mortality Ratio	Proportion of clients restarting FP	Proportion of FP Subsequent Contact	Proportion of Postpartum FP clients at 6 weeks	Proportion of pregnant women testing positive for Syphilis at first ANC	Still birth rate in facility	Proportion of adolescent contraceptives use	FP New Acceptors aged 15 - 49 years	% of First ANC Visit at 12 weeks GA (1st trimester)	Proportion of fully immunised Under-2 coverage	% of neonatal deaths	% of pregnant women screened for Syphilis	% of deliveries conducted by skilled personnel	% of mothers receiving PNC within 48 hours	% of women screened for anemia	% HMS reports submitted	
Zambia	25	135	8	73	89	6	14	32	25	63	56	0.5	69	66	58	50	100	
Central	29	139	8	80	75	7	16	25	19	75	42	0.7	74	51	49	50	100	
Copperbelt	17	180	12	75	150	6	17	18	17	68	67	1.0	66	76	69	453	100	
Eastern	32	90	7	79	87	4	12	43	28	53	54	0.9	70	69	67	53	100	
Luapula	24	75	7	58	84	7	10	49	47	51	68	0.5	72	69	57	39	99	
Lusaka	17	150	8	73	115	6	14	14	16	69	62	0.0	61	77	53	48	100	
Muchinga	28	124	10	62	51	5	12	24	25	61	62	0.3	65	70	65	37	99	
North Western	26	147	11	68	69	8	21	57	38	68	36	0.3	66	53	30	43	98	
Northern	28	198	11	60	53	6	16	24	27	56	65	0.4	68	65	57	46	100	
Southern	30	120	6	79	84	4	10	36	24	61	52	0.7	61	76	76	71	100	
Western	28	134	7	67	51	5	12	60	30	68	50	0.0	76	47	44	47	100	
Source:	DHIS	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS	DHIS2	DHIS2	DHIS	