



Country indicator

Scorecard

Region	Quality														Demand			HSS
	Proportion of Teenager pregnancy	Maternal mortality Ratio	Proportion of clients restarting FP	Proportion of FP Subsequent Contact	Proportion of Postpartum FP clients at 6 weeks	Proportion of pregnant women testing positive for Syphilis at first ANC	Still birth rate in facility	Proportion of adolescent contraceptives use	FP New Acceptors aged 15 - 49 years	% of First ANC Visit at 12 weeks GA (1st trimester)	Proportion of fully immunised Under-2 coverage	% of neonatal deaths	% of pregnant women screened for Syphilis	% of deliveries conducted by skilled personnel	% of mothers receiving PNC within 48 hours	% of women screened for anaemia	% HMS reports submitted	
Zambia	22	95	8	72	95	6	14	35	29	62	68	0.5	62	68	62	50	99	
Central	24	114	9	78	76	9	17	26	21	76	63	0.6	67	54	52	44	99	
Copperbelt	18	115	10	75	162	7	18	35	33	65	77	1.1	67	79	70	55	98	
Eastern	27	67	7	30	87	5	11	38	26	56	62	0.9	63	68	68	48	100	
Luapula	21	72	6	56	103	8	9	50	48	43	74	0.4	63	78	72	45	99	
Lusaka	16	146	6	73	110	5	14	19	29	71	79	0.0	65	80	70	51	100	
Muchinga	23	91	11	60	72	4	13	22	21	58	69	0.4	73	73	66	35	99	
North Western	24	62	12	69	63	8	19	33	20	65	49	0.2	60	52	30	46	98	
Northern	24	89	10	59	88	8	12	35	33	54	68	0.5	61	68	61	45	100	
Southern	25	74	7	78	74	4	12	44	31	59	73	0.5	115	73	70	72	99	
Western	23	76	7	69	57	5	15	48	30	64	62	0.3	106	48	48	43	100	
Source:	DHIS	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS2	DHIS	DHIS2	DHIS2	DHIS	