

Country indicators

% HHS that have attained UC of LLINs in targeted areas	% PW who slept under an LLIN among HHS with at least 1 net	% of pregnant women who received 3+ doses of IPTp for malaria during their last pregnancy in the last 2 yrs	% HHS having no stock-out of ACTs	ACTs distributed against projected Forecasting & Quantification targets	% patients treated according to national guidelines	Malaria prevalence in children <5 yrs
51%	85%	83%	38%	71%	81%	
DHS/KMIS	DHS/KMIS / DHS/KMIS	KMIS	QOC survey / QOC Survey	KEMSA	QOC Survey	KMIS

Scorecard

Region	Malaria Prevention		Malaria in Pregnancy				Case Management			EPR		Surveillance Monitoring & Evaluation and Operational Research		
	Transmission Zone	% PW receiving an LLIN at ANC clinic in targeted areas	% children <1 yr receiving an LLIN at immunization clinic in targeted areas	% PW who received IPT 2 in ANC malaria endemic areas	% PW who had 4 ANC visits	% suspected malaria cases receiving a parasitological test	Annual Blood Examination Rate	Malaria cases per 1000 population	Outpatient cases treated w/ AL as a proportion of confirmed malaria cases	% epidemic prone and seasonal transmission sub counties with updated annual EPR plans	Reporting rates of MOH S05 (weekly surveillance)	Reporting rate for malaria commodity form	Annual entomological inoculation rate / Confirmed Malaria Cases per 1,000 Population per Year	
Kenya		86%	78%	57	44	74%	8%	17	89%	100%	69%	85%	4.29	12%
Baringo County	Seasonal, arid, & semi-arid	69%	89%	0	31%	46%	2%	12	106%	100%	39%	70%	0.83	63%
Bomet County	Highland epidemic prone	81%	106%	0	42	50%	1%	1	157%	100%	52%	87%	0	2%
Bungoma County	Lake endemic	96%	83	79%	45%	86%	31%	50	75%	100%	77%	100%	0	166%
Busia County	Lake endemic	108%	83	41%	33%	91%	49%	75	71%	0%	88%	100%	33.97	351%
Elgeyo Marakwet County	Seasonal, arid, & semi-arid	86%	98%	0	24%	100%	0%	6	48%	100%	76%	92%	0	37%
Embu County	Seasonal, arid, & semi-arid	83%	93%	0	43	100%	0%	0	52	100%	63%	94%	0	2%
Garissa County	Seasonal, arid, & semi-arid	0	0	0	45%	74%	1%	1	27	100%	76%	74%	0	5%
Homa Bay County	Lake endemic	84%	63%	52%	39	43%	9%	28	101%	0%	78%	91%	7.32	94%
Isiolo County	Seasonal, arid, & semi-arid	143%	167%	0	54%	76%	1%	2	91%	100%	63%	84%	0	15%
Kajiado County	Seasonal, arid, & semi-arid	57%	50%	0	48%	33%	1%	1	15%	100%	83%	91%	0	5%
Kakamega County	Lake endemic	97%	87%	60%	44%	78%	45%	68	101%	100%	92%	100%	6.33	268%
Kericho County	Highland epidemic prone	47%	55%	0	31%	92%	5%	5	74%	100%	84%	85%	0.99	24%
Kiambu County	Low risk	0	0	0	48	100%	0%	1	17%	0%	62%	80%	0	1%
Kilifi County	Coast endemic	107%	61%	60%	44%	46%	5%	16	191%	0%	51%	92%	1.81	144%
Kirinyaga County	Low risk	0	0	0	53	100%	1%	0	72	0%	65%	93%	3.01	1%
Kisii County	Highland epidemic prone	78%	76%	0	28	66%	5%	7	64	100%	88%	90%	9.94	20%
Kisumu County	Lake endemic	68%	61%	49%	49	82%	19%	71	71%	0%	54%	100%	13.86	263%
Kitui County	Seasonal, arid, & semi-arid	82	59	0	36	38%	1%	1	39	100%	87%	91%	0	3%
Kwale County	Coast endemic	84	65%	63%	33%	40%	0%	34	129%	0%	12%	80%	0.8	223%
Laikipia County	Low risk	0	0	0	57	52%	0%	0	34	0%	60%	63%	0	2%
Lamu County	Coast endemic	97%	70%	46%	57	45%	0%	1	42	0%	74%	77%	0	2%
Machakos County	Low risk	104%	118%	0	52	87%	1%	1	14	0%	80%	86%	0	1%
Makueni County	Low risk	100%	125%	0	63	41%	0%	1	12	0%	92%	97%	0	1%
Mandera County	Seasonal, arid, & semi-arid	0	0	0	38	16%	0%	0	260	100%	18%	39%	0	1%
Marsabit County	Seasonal, arid, & semi-arid	0	0	0	48	34%	1%	1	22	100%	34%	88%	0	8%
Meru County	Seasonal, arid, & semi-arid	0	0	0	37	27%	1%	1	56	100%	61%	60%	0	2%
Migori County	Lake endemic	67%	54%	25%	35%	80%	37%	63	79	0%	88%	100%	14.25	203%
Mombasa County	Coast endemic	88%	46%	71%	46%	61%	10%	6	7	0%	65%	72%	0	23%
Muranga County	Low risk	71%	61	0	49	41%	0%	0	13	0%	66%	66%	0	0%
Nairobi County	Low risk	0	0	0	58	80%	1%	2	14	0%	39%	66%	0	6%
Nakuru County	Low risk	0	0	0	55	57%	1%	2	22	0%	81%	77%	0	6%
Nandi County	Highland epidemic prone	22%	30%	0	29	69%	4%	9	104	100%	64%	85%	3.35	35%
Narok County	Highland epidemic prone	66%	80%	0	34	43%	6%	4	135	100%	68%	88%	0	13%
Nyamira County	Highland epidemic prone	77%	68%	0	56	52%	0%	5	54	100%	65%	75%	1.04	19%
Nyandarua County	Low risk	0	0	0	38	46%	0%	0	7	0%	55%	91%	0	1%
Nyeri County	Low risk	0	0	0	57	31%	0%	0	12	0%	75%	76%	0	0%
Samburu County	Seasonal, arid, & semi-arid	0	0	0	42	35%	0%	5	75	100%	54%	95%	0	26%
Siaya County	Lake endemic	93	81%	60	51	70%	33%	106	105	0%	63%	98%	46.66	465%
Taita Taveta County	Coast endemic	49%	26%	35%	24	100%	0%	1	55	0%	59%	52%	0.88	4%
Tana River County	Seasonal, arid, & semi-arid	115%	84	61%	52	38%	5%	6	87	100%	41%	79%	0	18%
Tharaka Nithi County	Seasonal, arid, & semi-arid	103	88	0	62	54%	1%	4	1	100%	89%	87%	0	8%
Trans Nzoia County	Highland epidemic prone	57	52	0	25	43%	2%	16	45	100%	66%	81%	1.76	60%
Turkana County	Seasonal, arid, & semi-arid	0	0	0	54	65%	9%	45	99	100%	83%	89%	2.59	353%
Uasin Gishu County	Highland epidemic prone	98	88	0	42	82%	2%	4	81	100%	84%	93%	0	13%
Vihiga County	Lake endemic	174%	126%	89%	39	81%	23%	44	67	0%	85%	98%	0.86	303%
Wajir County	Seasonal, arid, & semi-arid	0	0	0	36	53%	0%	0	171	100%	75%	73%	0	1%
West Pokot County	Seasonal, arid, & semi-arid	0	0	0	26	46%	4%	17	109	100%	74%	94%	0	137%
Source:	Policy	DHIS	DHIS	DHIS	DHIS	DHIS	DHIS	DHIS	DHIS	NMCP	DHIS	DHIS	Activity Report / DHIS	